



myoclonic epilepsy myopathy sensory ataxia

Myoclonic epilepsy myopathy sensory ataxia, commonly called MEMSA, is part of a group of conditions called the *POLG*-related disorders. The conditions in this group feature a range of similar signs and symptoms involving muscle-, nerve-, and brain-related functions. The signs and symptoms of MEMSA typically appear during young adulthood. This condition had previously been known as spinocerebellar ataxia with epilepsy (SCAE).

The first symptom of MEMSA is usually cerebellar ataxia, which refers to problems with coordination and balance due to defects in the part of the brain that is involved in coordinating movement (cerebellum). Recurrent seizures (epilepsy) usually develop later, often in combination with uncontrollable muscle jerks (myoclonus). The seizures usually begin in the right arm and spread to become generalized throughout the body. Additionally, affected individuals may have severe brain dysfunction (encephalopathy) or muscle weakness (myopathy). The myopathy can affect muscles close to the center of the body (proximal), such as the muscles of the hips, thighs, upper arms, or neck, or muscles farther away from the center of the body (distal), such as the muscles of the hands or feet. The myopathy may be especially noticeable during exercise (exercise intolerance).

Frequency

The prevalence of myoclonic epilepsy myopathy sensory ataxia is unknown.

Genetic Changes

MEMSA is caused by mutations in the *POLG* gene. This gene provides instructions for making one part, the alpha subunit, of a protein called polymerase gamma (pol γ).

Pol γ functions in mitochondria, which are structures within cells that use oxygen to convert the energy from food into a form cells can use. Mitochondria each contain a small amount of DNA, known as mitochondrial DNA (mtDNA), which is essential for the normal function of these structures. Pol γ "reads" sequences of mtDNA and uses them as templates to produce new copies of mtDNA in a process called DNA replication.

Most *POLG* gene mutations change single protein building blocks (amino acids) in the alpha subunit of pol γ . These changes result in a mutated pol γ that has a reduced ability to replicate DNA. Although the mechanism is unknown, mutations in the *POLG* gene often result in fewer copies of mtDNA (mtDNA depletion), particularly in muscle, brain, or liver cells. MtDNA depletion causes a decrease in cellular energy, which could account for the signs and symptoms of MEMSA.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- MEMSA
- SCAE
- spinocerebellar ataxia with epilepsy

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Myoclonic epilepsy myopathy sensory ataxia
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1843852/>

Other Diagnosis and Management Resources

- GeneReview: POLG-Related Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK26471>
- United Mitochondrial Disease Foundation: Diagnosis of Mitochondrial Disease
<http://www.umdf.org/what-is-mitochondrial-disease/getting-a-diagnosis/>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Balance Problems
<https://medlineplus.gov/balanceproblems.html>
- Health Topic: Cerebellar Disorders
<https://medlineplus.gov/cerebellardisorders.html>
- Health Topic: Movement Disorders
<https://medlineplus.gov/movementdisorders.html>
- Health Topic: Seizures
<https://medlineplus.gov/seizures.html>

Additional NIH Resources

- National Institutes of Health Rare Diseases Clinical Research Network: North American Mitochondrial Disease Consortium
<http://www.rarediseasesnetwork.org/cms/NAMDC>

Educational Resources

- Cleveland Clinic Online Health Chats: Understanding Mitochondrial Disorders
http://my.clevelandclinic.org/health/transcripts/parikh_understanding_mitochondrial_disorders
- Cleveland Clinic: Mitochondrial Diseases
<http://my.clevelandclinic.org/health/articles/myths-and-facts-about-mitochondrial-diseases>
- MalaCards: myoclonic epilepsy myopathy sensory ataxia
http://www.malacards.org/card/myoclonic_epilepsy_myopathy_sensory_ataxia
- Mayo Clinic: Mitochondrial Disease Biobank
<http://www.mayo.edu/research/centers-programs/mitochondrial-disease-biobank/overview>

Patient Support and Advocacy Resources

- MitoAction
<http://www.mitoaction.org/>
- Muscular Dystrophy Association: Facts About Mitochondrial Myopathies
https://www.mda.org/sites/default/files/publications/Facts_MITO_P-216.pdf
- United Mitochondrial Disease Foundation: Mitochondrial Disease
<http://www.umdf.org/what-is-mitochondrial-disease/>

GeneReviews

- POLG-Related Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK26471>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22myoclonic+epilepsy+myopathy+sensory+ataxia%22+OR+%22Mitochondrial+Diseases%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28memsa%5BTIAB%5D%29+OR+%28scae%5BTIAB%5D%29%29+OR+%28%28POLG%29+AND+%28mitochondrial+DNA+depletion%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

Sources for This Summary

- GeneReview: POLG-Related Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK26471>
- Milone M, Massie R. Polymerase gamma 1 mutations: clinical correlations. *Neurologist*. 2010 Mar; 16(2):84-91. doi: 10.1097/NRL.0b013e3181c78a89. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20220442>
- Moraes CT, Shanske S, Tritschler HJ, Aprille JR, Andreetta F, Bonilla E, Schon EA, DiMauro S. mtDNA depletion with variable tissue expression: a novel genetic abnormality in mitochondrial diseases. *Am J Hum Genet*. 1991 Mar;48(3):492-501.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/1998336>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1682992/>
- Rocher C, Taanman JW, Pierron D, Faustin B, Benard G, Rossignol R, Malgat M, Pedespan L, Letellier T. Influence of mitochondrial DNA level on cellular energy metabolism: implications for mitochondrial diseases. *J Bioenerg Biomembr*. 2008 Apr;40(2):59-67. doi: 10.1007/s10863-008-9130-5. Epub 2008 Apr 16.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18415670>
- Stumpf JD, Copeland WC. Mitochondrial DNA replication and disease: insights from DNA polymerase γ mutations. *Cell Mol Life Sci*. 2011 Jan;68(2):219-33. doi: 10.1007/s00018-010-0530-4. Epub 2010 Oct 8. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20927567>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3046768/>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/myoclonic-epilepsy-myopathy-sensory-ataxia>

Reviewed: June 2011

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services